GeneMark

Version 2.5p (09.08.06) *Copyright 1993 - M. Borodovsky, J. McIninch*


PROGRAM INFORMATION

```
Sequence         :  Streptomyces phage Andris complete sequence, 50588 bp including 11-base 3’ overhang (CGCCGT
Analysis Date    :  3/28/24 at 7:12:51
Pages            :  25
Sequence Length  :  50588 bp
GC Content       :   67.20%

Window Length    :  96 bp
Window Step      :  12 bp
Threshold Value  :  0.500

PS-Version       :  1.2

GeneMark Options :  PostScript graph,
                    Mark ORFs / splice sites,
                    List ORFs,
                    List regions and/or splice sites,
```



MATRIX INFORMATION


```
Matrix     :  Streptomyces_griseus_NBRC_13350
Author     :  -

Order      :  4



  Send questions / comments to:
      Dr. M. Borodovsky
      Georgia Institute of Technology
      School of Biology
      Atlanta, GA  30332-0230
```

For help or information, send electronic mail to: custserv@genepro.com, or mark@amber.biology.gatech.edu


complete sequence, 50588 bp including 11-base 3’ overhang (CGCCGTGTCTT), Cluster BD2, Order 4, Window 96, Step 12, 2/25




complete sequence, 50588 bp including 11-base 3’ overhang (CGCCGTGTCTT), Cluster BD2, Order 4, Window 96, Step 12, 3/25




complete sequence, 50588 bp including 11-base 3’ overhang (CGCCGTGTCTT), Cluster BD2, Order 4, Window 96, Step 12, 4/25




complete sequence, 50588 bp including 11-base 3’ overhang (CGCCGTGTCTT), Cluster BD2, Order 4, Window 96, Step 12, 5/25




complete sequence, 50588 bp including 11-base 3’ overhang (CGCCGTGTCTT), Cluster BD2, Order 4, Window 96, Step 12, 6/25




complete sequence, 50588 bp including 11-base 3’ overhang (CGCCGTGTCTT), Cluster BD2, Order 4, Window 96, Step 12, 7/25




complete sequence, 50588 bp including 11-base 3’ overhang (CGCCGTGTCTT), Cluster BD2, Order 4, Window 96, Step 12, 8/25




complete sequence, 50588 bp including 11-base 3’ overhang (CGCCGTGTCTT), Cluster BD2, Order 4, Window 96, Step 12, 9/25




omplete sequence, 50588 bp including 11-base 3’ overhang (CGCCGTGTCTT), Cluster BD2, Order 4, Window 96, Step 12, 10/25





omplete sequence, 50588 bp including 11-base 3’ overhang (CGCCGTGTCTT), Cluster BD2, Order 4, Window 96, Step 12, 11/25





Direct Sequence
Complementary Sequence
1.0
0.5
0.0
21200
21600
22000
22400
22800
23200
Nucleotide Position


omplete sequence, 50588 bp including 11-base 3’ overhang (CGCCGTGTCTT), Cluster BD2, Order 4, Window 96, Step 12, 13/25





Direct Sequence
Complementary Sequence
1.0
0.5
0.0
25600
26000
26400
26800
27200
Nucleotide Position


Direct Sequence
Complementary Sequence
1.0
0.5
0.0
27600
28000
28400
28800
29200
29600
Nucleotide Position


omplete sequence, 50588 bp including 11-base 3’ overhang (CGCCGTGTCTT), Cluster BD2, Order 4, Window 96, Step 12, 16/25




omplete sequence, 50588 bp including 11-base 3’ overhang (CGCCGTGTCTT), Cluster BD2, Order 4, Window 96, Step 12, 17/25




omplete sequence, 50588 bp including 11-base 3’ overhang (CGCCGTGTCTT), Cluster BD2, Order 4, Window 96, Step 12, 18/25




omplete sequence, 50588 bp including 11-base 3’ overhang (CGCCGTGTCTT), Cluster BD2, Order 4, Window 96, Step 12, 19/25





Direct Sequence
Complementary Sequence
1.0
0.5
0.0
38400
38800
39200
39600
40000
Nucleotide Position


omplete sequence, 50588 bp including 11-base 3’ overhang (CGCCGTGTCTT), Cluster BD2, Order 4, Window 96, Step 12, 21/25




omplete sequence, 50588 bp including 11-base 3’ overhang (CGCCGTGTCTT), Cluster BD2, Order 4, Window 96, Step 12, 22/25



omplete sequence, 50588 bp including 11-base 3’ overhang (CGCCGTGTCTT), Cluster BD2, Order 4, Window 96, Step 12, 23/25



omplete sequence, 50588 bp including 11-base 3’ overhang (CGCCGTGTCTT), Cluster BD2, Order 4, Window 96, Step 12, 24/25



omplete sequence, 50588 bp including 11-base 3’ overhang (CGCCGTGTCTT), Cluster BD2, Order 4, Window 96, Step 12, 25/25

