GeneMark

Version 2.5p (09.08.06) *Copyright 1993 - M. Borodovsky, J. McIninch*

PROGRAM INFORMATION

```
Sequence         :  Streptomyces phage Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat
Analysis Date    :  3/28/24 at 6:38:20
Pages            :  64
Sequence Length  :  131317 bp
GC Content       :   49.49%

Window Length    :  96 bp
Window Step      :  12 bp
Threshold Value  :  0.500

PS-Version       :  1.2


GeneMark Options :  PostScript graph,
                    Mark ORFs / splice sites,
                    List ORFs,
                    List regions and/or splice sites,
```

MATRIX INFORMATION

```
Matrix     :  Streptomyces_griseus_NBRC_13350
Author     :  -


Order      :  4


  Send questions / comments to:
      Dr. M. Borodovsky
      Georgia Institute of Technology
      School of Biology
      Atlanta, GA  30332-0230
```





For help or information, send electronic mail to: custserv@genepro.com, or mark@amber.biology.gatech.edu

ge Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 2/64




ge Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 3/64





Direct Sequence
Complementary Sequence
1.0
0.5
0.0
4400
4800
5200
5600
6000
Nucleotide Position


ge Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 5/64




ge Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 6/64




ge Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 7/64




ge Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 8/64




ge Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 9/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 10/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 11/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 12/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 13/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 14/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 15/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 16/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 17/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 18/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 19/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 20/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 21/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 22/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 23/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 24/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 25/64





Direct Sequence
Complementary Sequence
1.0
0.5
0.0
50800
51200
51600
52000
52400
52800
Nucleotide Position


e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 27/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 28/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 29/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 30/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 31/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 32/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 33/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 34/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 35/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 36/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 37/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 38/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 39/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 40/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 41/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 42/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 43/64





Direct Sequence
Complementary Sequence
1.0
0.5
0.0
88800
89200
89600
90000
90400
90800
Nucleotide Position


e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 45/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 46/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 47/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 48/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 49/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 50/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 51/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 52/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 53/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 54/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 55/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 56/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 57/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 58/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 59/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 60/64




e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 61/64



e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 62/64



e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 63/64



e Bordeaux complete sequence, 131317 bp including 12579 bp terminal repeat, Cluster BE2, Order 4, Window 96, Step 12, 64/64

