GeneMark

Version 2.5p (09.08.06) *Copyright 1993 - M. Borodovsky, J. McIninch*

PROGRAM INFORMATION

```
Sequence         :  Arthrobacter phage Daiboju complete sequence, 43950 bp including 13-base 3' overhang (GCTTA
Analysis Date    :  3/29/24 at 1:23:55
Pages            :  22
Sequence Length  :  43950 bp
GC Content       :   61.86%

Window Length    :  96 bp
Window Step      :  12 bp
Threshold Value  :  0.500

PS-Version       :  1.2


GeneMark Options :  PostScript graph,
                    Mark ORFs / splice sites,
                    List ORFs,
                    List regions and/or splice sites,
```

MATRIX INFORMATION

```
Matrix     :  -
Author     :  -


Order      :  4


  Send questions / comments to:
      Dr. M. Borodovsky
      Georgia Institute of Technology
      School of Biology
      Atlanta, GA  30332-0230
```




For help or information, send electronic mail to: custserv@genepro.com, or mark@amber.biology.gatech.edu


mplete sequence, 43950 bp including 13-base 3’ overhang (GCTTACCGTGATA), Cluster AK, Order 4, Window 96, Step 12, 2/22




mplete sequence, 43950 bp including 13-base 3’ overhang (GCTTACCGTGATA), Cluster AK, Order 4, Window 96, Step 12, 3/22




mplete sequence, 43950 bp including 13-base 3’ overhang (GCTTACCGTGATA), Cluster AK, Order 4, Window 96, Step 12, 4/22




mplete sequence, 43950 bp including 13-base 3’ overhang (GCTTACCGTGATA), Cluster AK, Order 4, Window 96, Step 12, 5/22




mplete sequence, 43950 bp including 13-base 3’ overhang (GCTTACCGTGATA), Cluster AK, Order 4, Window 96, Step 12, 6/22




mplete sequence, 43950 bp including 13-base 3’ overhang (GCTTACCGTGATA), Cluster AK, Order 4, Window 96, Step 12, 7/22




mplete sequence, 43950 bp including 13-base 3’ overhang (GCTTACCGTGATA), Cluster AK, Order 4, Window 96, Step 12, 8/22




mplete sequence, 43950 bp including 13-base 3’ overhang (GCTTACCGTGATA), Cluster AK, Order 4, Window 96, Step 12, 9/22




nplete sequence, 43950 bp including 13-base 3’ overhang (GCTTACCGTGATA), Cluster AK, Order 4, Window 96, Step 12, 10/22




nplete sequence, 43950 bp including 13-base 3' overhang (GCTTACCGTGATA), Cluster AK, Order 4, Window 96, Step 12, 11/22




nplete sequence, 43950 bp including 13-base 3’ overhang (GCTTACCGTGATA), Cluster AK, Order 4, Window 96, Step 12, 12/22




nplete sequence, 43950 bp including 13-base 3' overhang (GCTTACCGTGATA), Cluster AK, Order 4, Window 96, Step 12, 13/22




nplete sequence, 43950 bp including 13-base 3' overhang (GCTTACCGTGATA), Cluster AK, Order 4, Window 96, Step 12, 14/22




nplete sequence, 43950 bp including 13-base 3' overhang (GCTTACCGTGATA), Cluster AK, Order 4, Window 96, Step 12, 15/22




nplete sequence, 43950 bp including 13-base 3’ overhang (GCTTACCGTGATA), Cluster AK, Order 4, Window 96, Step 12, 16/22





Direct Sequence
Complementary Sequence
1.0
0.5
0.0
32000
32400
32800
33200
33600
Nucleotide Position


nplete sequence, 43950 bp including 13-base 3’ overhang (GCTTACCGTGATA), Cluster AK, Order 4, Window 96, Step 12, 18/22




nplete sequence, 43950 bp including 13-base 3’ overhang (GCTTACCGTGATA), Cluster AK, Order 4, Window 96, Step 12, 19/22



nplete sequence, 43950 bp including 13-base 3' overhang (GCTTACCGTGATA), Cluster AK, Order 4, Window 96, Step 12, 20/22



nplete sequence, 43950 bp including 13-base 3' overhang (GCTTACCGTGATA), Cluster AK, Order 4, Window 96, Step 12, 21/22



nplete sequence, 43950 bp including 13-base 3’ overhang (GCTTACCGTGATA), Cluster AK, Order 4, Window 96, Step 12, 22/22

