GeneMark

Version 2.5p (09.08.06) *Copyright 1993 - M. Borodovsky, J. McIninch*

PROGRAM INFORMATION

```
Sequence         :  Streptomyces phage Nishikigoi complete sequence, 50660 bp including 11-base 3’ overhang (CG
Analysis Date    :  3/28/24 at 17:01:47
Pages            :  25
Sequence Length  :  50660 bp
GC Content       :   66.82%

Window Length    :  96 bp
Window Step      :  12 bp
Threshold Value  :  0.500

PS-Version       :  1.2


GeneMark Options :  PostScript graph,
                    Mark ORFs / splice sites,
                    List ORFs,
                    List regions and/or splice sites,
```

MATRIX INFORMATION

```
Matrix     :  Streptomyces_scabiei_87_22
Author     :  -


Order      :  4


  Send questions / comments to:
      Dr. M. Borodovsky
      Georgia Institute of Technology
      School of Biology
      Atlanta, GA  30332-0230
```




For help or information, send electronic mail to: custserv@genepro.com, or mark@amber.biology.gatech.edu


complete sequence, 50660 bp including 11-base 3’ overhang (CGCCACGTCTT), Cluster BD2, Order 4, Window 96, Step 12, 2/25




complete sequence, 50660 bp including 11-base 3’ overhang (CGCCACGTCTT), Cluster BD2, Order 4, Window 96, Step 12, 3/25




complete sequence, 50660 bp including 11-base 3’ overhang (CGCCACGTCTT), Cluster BD2, Order 4, Window 96, Step 12, 4/25




complete sequence, 50660 bp including 11-base 3’ overhang (CGCCACGTCTT), Cluster BD2, Order 4, Window 96, Step 12, 5/25




complete sequence, 50660 bp including 11-base 3’ overhang (CGCCACGTCTT), Cluster BD2, Order 4, Window 96, Step 12, 6/25




complete sequence, 50660 bp including 11-base 3’ overhang (CGCCACGTCTT), Cluster BD2, Order 4, Window 96, Step 12, 7/25




complete sequence, 50660 bp including 11-base 3’ overhang (CGCCACGTCTT), Cluster BD2, Order 4, Window 96, Step 12, 8/25




complete sequence, 50660 bp including 11-base 3’ overhang (CGCCACGTCTT), Cluster BD2, Order 4, Window 96, Step 12, 9/25




omplete sequence, 50660 bp including 11-base 3’ overhang (CGCCACGTCTT), Cluster BD2, Order 4, Window 96, Step 12, 10/25




omplete sequence, 50660 bp including 11-base 3’ overhang (CGCCACGTCTT), Cluster BD2, Order 4, Window 96, Step 12, 11/25





Direct Sequence
Complementary Sequence
1.0
0.5
0.0
21200
21600
22000
22400
22800
23200
Nucleotide Position


omplete sequence, 50660 bp including 11-base 3’ overhang (CGCCACGTCTT), Cluster BD2, Order 4, Window 96, Step 12, 13/25




omplete sequence, 50660 bp including 11-base 3’ overhang (CGCCACGTCTT), Cluster BD2, Order 4, Window 96, Step 12, 14/25




omplete sequence, 50660 bp including 11-base 3’ overhang (CGCCACGTCTT), Cluster BD2, Order 4, Window 96, Step 12, 15/25




omplete sequence, 50660 bp including 11-base 3’ overhang (CGCCACGTCTT), Cluster BD2, Order 4, Window 96, Step 12, 16/25





omplete sequence, 50660 bp including 11-base 3’ overhang (CGCCACGTCTT), Cluster BD2, Order 4, Window 96, Step 12, 17/25




omplete sequence, 50660 bp including 11-base 3’ overhang (CGCCACGTCTT), Cluster BD2, Order 4, Window 96, Step 12, 18/25






Direct Sequence
Complementary Sequence
1.0
0.5
0.0
36000
36400
36800
37200
37600
38000
Nucleotide Position


Direct Sequence
Complementary Sequence
1.0
0.5
0.0
38400
38800
39200
39600
40000
Nucleotide Position


omplete sequence, 50660 bp including 11-base 3’ overhang (CGCCACGTCTT), Cluster BD2, Order 4, Window 96, Step 12, 21/25




Direct Sequence
Complementary Sequence
1.0
0.5
0.0
42400
42800
43200
43600
44000
44400
Nucleotide Position


Direct Sequence
Complementary Sequence
1.0
0.5
0.0
44800
45200
45600
46000
46400
Nucleotide Position

omplete sequence, 50660 bp including 11-base 3’ overhang (CGCCACGTCTT), Cluster BD2, Order 4, Window 96, Step 12, 24/25



omplete sequence, 50660 bp including 11-base 3’ overhang (CGCCACGTCTT), Cluster BD2, Order 4, Window 96, Step 12, 25/25

