GeneMark

Version 2.5p (09.08.06) *Copyright 1993 - M. Borodovsky, J. McIninch*

PROGRAM INFORMATION

```
Sequence         :  Mycobacterium phage Sassay complete sequence, 73495 bp including 9-base 3' overhang (CGCTTG
Analysis Date    :  3/29/24 at 0:51:55
Pages            :  36
Sequence Length  :  73495 bp
GC Content       :   63.03%

Window Length    :  96 bp
Window Step      :  12 bp
Threshold Value  :  0.500

PS-Version       :  1.2

GeneMark Options :  PostScript graph,
                    Mark ORFs / splice sites,
                    List ORFs,
                    List regions and/or splice sites,
```

MATRIX INFORMATION

```
Matrix     :  Mycobacterium_smegmatis_MC2_155
Author     :  -

Order      :  4



  Send questions / comments to:
      Dr. M. Borodovsky
      Georgia Institute of Technology
      School of Biology
      Atlanta, GA  30332-0230
```

Matrix notes & comments


Training set derived by GeneMarkS, 4.27 September 2014
Tue Sep 23 15:23:03 2014

For help or information, send electronic mail to: custserv@genepro.com, or mark@amber.biology.gatech.edu


assay complete sequence, 73495 bp including 9-base 3’ overhang (CGCTTGTCA), Cluster E, Order 4, Window 96, Step 12, 2/36




assay complete sequence, 73495 bp including 9-base 3’ overhang (CGCTTGTCA), Cluster E, Order 4, Window 96, Step 12, 3/36




assay complete sequence, 73495 bp including 9-base 3’ overhang (CGCTTGTCA), Cluster E, Order 4, Window 96, Step 12, 4/36




assay complete sequence, 73495 bp including 9-base 3’ overhang (CGCTTGTCA), Cluster E, Order 4, Window 96, Step 12, 5/36




assay complete sequence, 73495 bp including 9-base 3’ overhang (CGCTTGTCA), Cluster E, Order 4, Window 96, Step 12, 6/36




assay complete sequence, 73495 bp including 9-base 3’ overhang (CGCTTGTCA), Cluster E, Order 4, Window 96, Step 12, 7/36




assay complete sequence, 73495 bp including 9-base 3’ overhang (CGCTTGTCA), Cluster E, Order 4, Window 96, Step 12, 8/36




assay complete sequence, 73495 bp including 9-base 3’ overhang (CGCTTGTCA), Cluster E, Order 4, Window 96, Step 12, 9/36




ssay complete sequence, 73495 bp including 9-base 3’ overhang (CGCTTGTCA), Cluster E, Order 4, Window 96, Step 12, 10/36




ssay complete sequence, 73495 bp including 9-base 3’ overhang (CGCTTGTCA), Cluster E, Order 4, Window 96, Step 12, 11/36




ssay complete sequence, 73495 bp including 9-base 3’ overhang (CGCTTGTCA), Cluster E, Order 4, Window 96, Step 12, 12/36




ssay complete sequence, 73495 bp including 9-base 3’ overhang (CGCTTGTCA), Cluster E, Order 4, Window 96, Step 12, 13/36




ssay complete sequence, 73495 bp including 9-base 3’ overhang (CGCTTGTCA), Cluster E, Order 4, Window 96, Step 12, 14/36




ssay complete sequence, 73495 bp including 9-base 3’ overhang (CGCTTGTCA), Cluster E, Order 4, Window 96, Step 12, 15/36




ssay complete sequence, 73495 bp including 9-base 3’ overhang (CGCTTGTCA), Cluster E, Order 4, Window 96, Step 12, 16/36




ssay complete sequence, 73495 bp including 9-base 3’ overhang (CGCTTGTCA), Cluster E, Order 4, Window 96, Step 12, 17/36





Direct Sequence
Complementary Sequence
1.0
0.5
0.0
34000
34400
34800
35200
35600
Nucleotide Position


ssay complete sequence, 73495 bp including 9-base 3’ overhang (CGCTTGTCA), Cluster E, Order 4, Window 96, Step 12, 19/36




ssay complete sequence, 73495 bp including 9-base 3’ overhang (CGCTTGTCA), Cluster E, Order 4, Window 96, Step 12, 20/36




ssay complete sequence, 73495 bp including 9-base 3’ overhang (CGCTTGTCA), Cluster E, Order 4, Window 96, Step 12, 21/36




ssay complete sequence, 73495 bp including 9-base 3’ overhang (CGCTTGTCA), Cluster E, Order 4, Window 96, Step 12, 22/36




ssay complete sequence, 73495 bp including 9-base 3’ overhang (CGCTTGTCA), Cluster E, Order 4, Window 96, Step 12, 23/36




ssay complete sequence, 73495 bp including 9-base 3’ overhang (CGCTTGTCA), Cluster E, Order 4, Window 96, Step 12, 24/36




ssay complete sequence, 73495 bp including 9-base 3’ overhang (CGCTTGTCA), Cluster E, Order 4, Window 96, Step 12, 25/36




ssay complete sequence, 73495 bp including 9-base 3’ overhang (CGCTTGTCA), Cluster E, Order 4, Window 96, Step 12, 26/36




ssay complete sequence, 73495 bp including 9-base 3’ overhang (CGCTTGTCA), Cluster E, Order 4, Window 96, Step 12, 27/36




ssay complete sequence, 73495 bp including 9-base 3’ overhang (CGCTTGTCA), Cluster E, Order 4, Window 96, Step 12, 28/36




ssay complete sequence, 73495 bp including 9-base 3’ overhang (CGCTTGTCA), Cluster E, Order 4, Window 96, Step 12, 29/36




ssay complete sequence, 73495 bp including 9-base 3’ overhang (CGCTTGTCA), Cluster E, Order 4, Window 96, Step 12, 30/36




ssay complete sequence, 73495 bp including 9-base 3’ overhang (CGCTTGTCA), Cluster E, Order 4, Window 96, Step 12, 31/36




ssay complete sequence, 73495 bp including 9-base 3’ overhang (CGCTTGTCA), Cluster E, Order 4, Window 96, Step 12, 32/36




ssay complete sequence, 73495 bp including 9-base 3’ overhang (CGCTTGTCA), Cluster E, Order 4, Window 96, Step 12, 33/36



ssay complete sequence, 73495 bp including 9-base 3’ overhang (CGCTTGTCA), Cluster E, Order 4, Window 96, Step 12, 34/36



ssay complete sequence, 73495 bp including 9-base 3’ overhang (CGCTTGTCA), Cluster E, Order 4, Window 96, Step 12, 35/36



ssay complete sequence, 73495 bp including 9-base 3’ overhang (CGCTTGTCA), Cluster E, Order 4, Window 96, Step 12, 36/36

